

PSE Safety Certificate List (valid)

Remarks: The part with *** is for SECC application.

Condition of the original copy

TOC	S/N	Certificate Number	Product Name	Rated Input Voltage	Rated Input Power	Rated AC Frequency	AC Terminals	Rated voltage	Transformer	Transformer Insulation Type	DC Voltage Regulator	Protection Circuit	Power Switch	Case Material	Usage	Connection Method of Power Cord and Main Body	Double Insulation	STANDARD	Valid Period	Client	Note
	1	JET14 57-61010-1052	DC Power Supply (X54-02)	≤125V	100-200VA	50-60Hz	N/A	15-30 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Direct Connection	N/A	Attached Table 8 & Attached Table 10	2024/1/26	Panasonic	Panasonic updates itself and only provides electronic certificate files NC-YMC10J(X54-02,X54-03) NC-YMC08J(X38-02,X38-03,X38-04)
PSE Valid I	1	JET14 57-61010-1056-1	DC Power Supply KH-82, KH-87	≤125V >125V	10-20VA	50/60HZ	N/A	≤15 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging g& Others	Via Connector	N/A	1 provincial order	2019/5/19	Hitachi	Customer application, only provide a copy of the electronic file
	2	JET14 57-61010-1075	DC Power Supply W08-0588 (NC-KU10J)	≤125V	≤10VA	50-60Hz	N/A	≤15 V	Available	A	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	N/A	1 provincial order	2021/5/22	SANYO	NC-A1200 S10KJN NC-A2401 NC-A27011 NC-KU10J
	3*	JET14 57-61010-1082	DC Power Supply HQ850 SSW-1789MX	≤125V >125V	≤10VA	50/60Hz	N/A	≤15 V	Available	A	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2022/8/30	Philips	2017 renew
	4*	JET14 57-61010-1086	DC Power Supply A00390 SSW-2564TW	≤125V >125V	≤10VA	50/60Hz	N/A	≤15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2024/4/13	Philips	Mary wang,2019-04-03
	5*	JET14 57-61010-1087	DC Power Supply SSW-1864JP-A (17530-04)	≤125V >125V	20-30VA 30-40VA	50/60HZ	N/A	15-30 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	N/A	Attached Table 8 & Attached Table 10	2019/5/19	dyson	
	6*	JET14 57-61010-1089	DC Power Supply AC-CSE2	≤125V	≤10VA	50/60HZ	N/A	≤15 V	Available	A	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	N/A	1 provincial order	2020/5/31	Sony	1-475-228-16 1-475-228-23 JET1457-61010-1066 will be updated to JET1457-61010-1089 after expiration, Without Glow-wire test.
	7*	JET14 57-61010-1090	DC Power Supply SH-AC02 (SSW-2275JP-SHP)	≤125V >125V	≤10VA 10-20VA	50/60HZ	N/A	≤15 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging g Others	Via Connector	N/A	1 provincial order	2020/7/26	Sharp	
	8*	JET14 57-61010-1091	DC Power Supply SSW-2600US	≤125V >125V	10-20VA	50-60Hz	N/A	≤15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2020/11/3	Philips	
	9	JET14 57-61010-1092	DC Power Supply (AC-E30L)	≤125V	≤10VA	50/60Hz	N/A	≤15 V	Available	A	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	#####	Sony	2015.11.13 updated by Sony
	10*	JET14 57-61010-1093	DC Power Supply HQ8505	≤125V >125V	10-20VA	50-60Hz	N/A	≤15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	For Battery Charging	Via Connector	N/A	Attached Table 8 & Attached Table 10	2021/1/28	Philips	
	11*	JET14 57-61010-1094	DC Power Supply SSW-2082US	≤125V >125V	10-20VA	50-60Hz	N/A	≤15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2021/1/28	Philips	

PSE Safety Certificate List (valid)

Remarks: The part with *** is for SECC application.

Condition of the original copy

TOC	S/ N	Certificate Number	Product Name	Rated Input Voltage	Rated Input Power	Rated AC Frequency	AC Terminals	Rated voltage	Transformer	Transformer Insulation Type	DC Voltage Regulator	Protection Circuit	Power Switch	Case Material	Usage	Connection Method of Power Cord and Main Body	Double Insulation	STANDARD	Valid Period	Client	Note
	12	JET14 57-61010-1095	DC Power Supply HX9200 (SSW-2555JP)	≤125V >125V	≤10VA 10-20VA	50-60Hz	N/A	≤ 15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2021/1/28	Philips	
	13	JET14 57-61010-1096	DC Power Supply RFEA422J	≤125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	A	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2021/4/17	Panasonic	
	14	JET14 57-61010-1097	DC Power Supply RFEA415J	≤125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	A	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	N/A	Attached Table 8 & Attached Table 10	2021/8/25	Panasonic	2016 renew, added PTI and Glow wire test
	15	JET14 57-61010-1098	DC Power Supply AD03KC (SSW-2764)	≤125V >125V	≤10VA 10-20VA	50/60Hz	N/A	≤ 15 V	Available	A	N/A	N/A	N/A	Synthetic Resin	For Battery Charging	Via Connector	N/A	Attached Table 8 & Attached Table 10	#####	Kyocera	
	16	JET14 57-61010-1099	DC Power Supply WAA1001 (SSW-2924JP-WH)	≤125V >125V	≤10VA 10-20VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2022/1/5	Philips	HQ87 SSW-2805US-WH
	17	JET14 57-61010-1101	DC Power Supply HQ87 SSW-2805US-BK	≤125V >125V	10-20VA 20-30VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	#####	Philips	
	18	JET14 57-61010-1102	DC Power Supply KYS31POA (SSW-2672)	≤125V	20-30VA	50-60Hz	N/A	≤ 15 V	Available	A	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2023/5/14	Kyocera	
	19	JET14 57-61010-1103	DC Power Supply A00390 SSW-3077TW	≤125V >125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	A	N/A	N/A	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	#####	Philips	A00390 SSW-3238TW share this certificate The Layout sub-parts of the two models are slightly different
	20	JET14 57-61010-1104	DC Power Supply EW31555	≤125V	20-30VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	N/A	Attached Table 8 & Attached Table 10	2024/2/5	Panasonic	
	21	JET14 57-61010-1100	DC Power Supply SSW-1891 SSW-1890	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	N/A	Attached Table 8 & Attached Table 10	2022/9/18	Densen	Provided by customer
	1	JET14 57-61010-2099	DC Power Supply WV-PS16 (SSW-1222-2)	≤125V	30-40VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J60065(H26) J55013(H22) J30000(H25)	2021/10/4	Denkom	Customer self-renewal in 2016
	2	JET14 57-61010-2015	DC Power Supply KYD1POA (SSW-2673)	≤125V	50-60VA	50/60Hz	N/A	30-60 V	Available	E	N/A	Available	N/A	Synthetic Resin	Others	Direct Connection	Available	Attached Table 12 J60950-1(H26) J55022(H22)	2019/8/26	Kyocera	
	3	JET14 57-61010-2016	DC Power Supply AD334K (SSW-1993)	≤125V >125V	≤10VA 10-20VA	50-60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950(H19) J55001(H14)	2020/3/19	Kyocera	JET1457-61010-2004 The new certificate renewed after the expiration of the certificate also adds For Battery Charging
	4	JET14 57-61010-2017	DC Power Supply SH-AC03 (SSW-2001SHP-JP)	≤125V >125V	≤10VA 10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	2020/12/9	Sharp	Without PTI and Glow wire Test
	5	JET14 57-61010-2018	DC Power Supply WV-PS16 (SSW-1222-2)	≤125V	30-40VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J60950-1(H27) J55013(H22) J30000(H25)	2021/5/29	Denkom	Customer self-renewal in 2016
	6	JET14 57-61010-2019	DC Power Supply SSW-2285US	≤125V >125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60950-1(H22) J55022(H22)	2021/7/18	Motorola	With PTI and Glow wire Test SSW-2285US-Y SSW-2285JP
	7	JET14 57-61010-2020	DC Power Supply VSK0771 (SSW-2275JP)	≤125V >125V	≤10VA 10-20VA	50/60Hz	N/A	≤ 15 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60950-1(H22) J55022(H22)	2021/7/26	Panasonic	With PTI and Glow wire Test
	8	JET14 57-61010-2021	DC Power Supply 21746044 (SSW-2923JP)	≤125V >125V	60-70VA 90-100VA	50/60Hz	N/A	30-60 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-1(H27) J60335-2-2(H27)	2022/7/6	dyscon	
	9	JET14 57-61010-2022	DC Power Supply SH-AC04 (SSW-3137)	≤125V >125V	10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	2022/9/27	Sharp	
	10	JET14 57-61010-2023	DC Power Supply HN-PCA01 (SSW-3172)	≤125V >125V	10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Battery Charging	Via Connector	Available	Attached Table 12 J60065(H29) J55032(H29)	2023/3/26	Sharp	
	11	JET14 57-61010-2024	DC Power Supply RFEA231J (SSW-2505JP)	≤125V >125V	50-60VA 70-80VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60065(H29) J55032(H29)	2023/6/18	Panasonic	
	12	JD 50293 819	DC Power Supply SPS-12-009-120 (SSW-2674)	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	J60950-1(H22) J55022(H22) J30000(H25)	2019/9/24	Polycorn	TUV Rheinland
	13	JD 50293 819	DC Power Supply SPS-12-015-240 (SSW-2675,SSW-2685)	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	J60950-1(H22) J55022(H22) J30000(H25)	2019/9/24	Polycorn	TUV Rheinland
	14	JD 50294 535	DC Power Supply SSW-2680JP (SPN5875A)	≤125V >125V	30-40VA 40-50VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	J60950-1(H26) J55022(H22)	2019/10/8	Motorola	TUV Rheinland Taiwan
	15	JD 50302 747	DC Power Supply SA60005 (SSW-2727JP)	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	J60065(H26) J55013(H22)	2020/1/25	Panasonic	TUV Rheinland

PSE Safety Certificate List (valid)

Remarks: The part with *** is for SECC application.

Condition of the original copy

TOC	S/N	Certificate Number	Product Name	Rated Input Voltage	Rated Input Power	Rated AC Frequency	AC Terminals	Rated voltage	Transformer	Transformer Insulation Type	DC Voltage Regulator	Protection Circuit	Power Switch	Case Material	Usage	Connection Method of Power Cord and Main Body	Double Insulation	STANDARD	Valid Period	Client	Note
	16*	JD 50313 711	DC Power Supply BC-SCL4 (CHR-0533)	≤125V >125V	10-20VA 20-30VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60950-1(H26) J55022(H22)	2020/6/29	Panasonic	TUV Rheinland
	17*	JD 50322 684	DC Power Supply SAE0012B (SSW-2725JP)	≤125V >125V	10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging /Others	Via Connector	Available	Attached Table 12 J60950-1(H26) J55022(H22)	*****	Panasonic	SAE0017A(SSW-2725JP-WH) TUV Rheinland With PT1 and Glow-wire Test
	18*	JD 50333 632	DC Power Supply SSW-2680JP (SPN5675A)	≤125V >125V	30-40VA 40-50VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	2021/3/7	Motorola	TUV Rheinland HK With PT1 and Glow-wire Test

PSE Safety Certificate List (valid)

Remarks: The part with *** is for SECC application.

Condition of the original copy

TOC	S/ N	Certificate Number	Product Name	Rated Input Voltage	Rated Input Power	Rated AC Frequency	AC Terminals	Rated voltage	Transformer	Transformer Insulation Type	DC Voltage Regulator	Protection Circuit	Power Switch	Case Material	Usage	Connection Method of Power Cord and Main Body	Double Insulation	STANDARD	Valid Period	Client	Note	
PSE Void III	19	JD 50342 107	DC Power Supply SSW-2840UMTJ (SPN5913A)	≤125V >125V	30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	2021/5/12	Motorola	TUV Rheinland HK With PTI and Glow-wire Test	
	20	JD 50351 600	DC Power Supply SSW-2918UMTJ C-P35 SPN5945A	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	2021/7/14	Motorola	TUV Rheinland With PTI and Glow-wire Test	
	21	JD 50357 946	DC Power Supply PNLV249JP (SSW-2867JP)	≤125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	2021/9/25	Panasonic	TUV Rheinland With PTI and Glow-wire Test	
	22	JD 50364 204	DC Power Supply SC-22 (SSW-3028UMTJ)	≤125V >125V	30-40VA 40-50VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22)	#####	Motorola	TUV Rheinland With PTI and Glow-wire Test	
	23	JD 50397 880	DC Power Supply SC-31 (SSW-3134UMTJ, SSW-3135UMTJ)	≤125V >125V	50-60VA 70-80VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55022(H22)	2023/1/25	Motorola Lenovo	TUV Rheinland With PTI and Glow-wire Test	
	24	JD 50405 438	DC Power Supply SC-41 (SSW-3165UMTJ, SSW-3200UMTJ)	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29)	2023/5/2	Motorola Lenovo	TUV Rheinland With PTI and Glow-wire Test	
	25	JD 50405 810	DC Power Supply SC-51 (SSW-3179UMTJ)	≤125V >125V	30-40VA 50-60VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29)	2023/5/6	Motorola Lenovo	TUV Rheinland With PTI and Glow-wire Test	
	26	JD 50402 364	DC Power Supply FZ-AAE184E1S (SSW-2888JP)	≤125V >125V	10-20VA 20-30VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29)	2023/4/8	Motorola	TUV Rheinland With PTI and Glow-wire Test	
	27	JD 50409 377	DC Power Supply PNLV247JP (SSW-3206JP)	≤125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29)	2023/6/12	Panasonic	TUV Rheinland With PTI and Glow-wire Test	Sugar wang, 2016-08-20
	28	JD 50418 596	DC Power Supply VSK0815J DMW-AC9 (SSW-2504JP)	≤125V >125V	10-20VA 20-30VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H229)	2023/9/26	Panasonic	TUV Rheinland With PTI and Glow-wire Test	Copy not taken
	29	JD 50418 617	DC Power Supply VSK0815J DMW-AC9 (SSW-2504JP)	≤125V >125V	10-20VA 20-30VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60065(H29) J55032(H229)	2023/9/25	Panasonic	TUV Rheinland With PTI and Glow-wire Test	Copy not taken
	30	JD 50426 855	DC Power Supply AV16114FA (SSW-3180JP)	≤125V >125V	50-60VA 70-80VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-1(H27) J60335-2-29(H27)	2024/1/10	Panasonic	TUV Rheinland With PTI and Glow-wire Test	Sharry Huang,2019-01-17
	31	JD 50427 069	DC Power Supply TXH0009G (SSW-3231JP)	≤125V >125V	30-40VA 40-50VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J62368-1(H30) J55032(H29)	2024/1/21	Panasonic	TUV Rheinland With PTI and Glow-wire Test	Copy not taken
	32	JD 50428 762	DC Power Supply DMW-AC10 (SSW-2582JP)	≤125V >125V	40-50VA 60-70VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29) J60004(H26)	2024/1/30	Panasonic	TUV Rheinland	Copy not taken
	33	JD 50429 574	DC Power Supply PMLN6685A (CHR-0464)	≤125V >125V	40-50VA 50-60VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60950-1(H29) J55032(H29) J3000(H25)	2024/2/20	Motorola	TUV Rheinland	Copy not taken
	34	JD 50418 617	DC Power Supply UAC-11JP (SSW-3328JP)	≤125V >125V	10-20VA 20-30VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60065(H29) J55032(H29)	2023/9/25	SIGMA		
	35	JD 50397 880	DC Power Supply SSW-3178US	≤125V >125V	50-60VA 70-80VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55022(H22)	2023/1/25	Need Check		
	36	JD 50445 657	DC Power Supply 427509-03 311200-03 (SSW-3322JP 3364 JP)	≤125V >125V	40-50VA 50-60VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-2-29(H27) J60335-1(H27)	2024/8/28	dyson		
	37	JD 50447 920	DC Power Supply 5520 (SSW-2858JP)	≤125V >125V	≤10VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-2-8(H29) J60335-1(H27)	2024/9/25	Payer		
	38	JD 50449 616	DC Power Supply DHLV1017 (SSW-2920JP)	≤125V	90-100VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J62368-1(H30) J55032(H29)	#####	Panasonic		
	39	JD 50452 154	DC Power Supply DHLV1014 DHLV1015 (SSW-2904, 2904)	≤125V	60-70VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J62368-1(H30) J55032(H29)	#####	Panasonic		
	40	JD 50456 387	DC Power Supply SAER005 (SSW-2727JP)	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J62368-1(H30) J55032(H29)	2025/1/8	Panasonic		
	41	JD 50456 328	DC Power Supply 348783-04 (SSW-3404JP)	≤125V >125V	30-40VA 40-50VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-2-29(H27) J60335-1(H27)	2025/1/8	dyson		
42	JD 50456 987	DC Power Supply 372458-03 17 30 (SSW-3156JP)	≤125V >125V	100-200VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Direct Connection	Available	Attached Table 12 J60335-2-29(H27) J60335-1(H27)	2025/1/13	dyson			
43	JD 50458 304	DC Power Supply 281238-05 (SSW-2971JP)	≤125V >125V	90-100VA 100-200VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-2-29(H27) J60335-1(H27)	2025/2/17	dyson			

PSE Safety Certificate List (valid)

Remarks: The part with *** is for SECC application.

Condition of the original copy

TOC	S/N	Certificate Number	Product Name	Rated Input Voltage	Rated Input Power	Rated AC Frequency	AC Terminals	Rated voltage	Transformer	Transformer Insulation Type	DC Voltage Regulator	Protection Circuit	Power Switch	Case Material	Usage	Connection Method of Power Cord and Main Body	Double Insulation	STANDARD	Valid Period	Client	Note	
	1*	JP-1156	DC Power Supply SSW-1757US	≤125V >125V	20-30VA 30-40VA	50-60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	J60950-1(H22) J55022(H22)	#####	Motorola	TUV SUD	
	2*	JP-1600	DC Power Supply ADT301 (SSW-2857)	≤125V >125V	10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60950-1(H27) J55022(H22)	2021/2/22	Kyocera	TUV SUD With PTI and Glow Wire Test ADT01K,SSW-2857(PA06) share this certificate	
	3*	JP-1622	DC Power Supply SAE0015 (SSW-2873JP)	≤125V >125V	30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60065(H26) J55013(H22)	2021/3/15	Panasonic	TUV SUD With PTI and Glow Wire Test	
	4*	JP-1631	DC Power Supply SAE0016 (SSW-2874JP)	≤125V >125V	40-50VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60065(H26) J55013(H22)	2021/3/22	Panasonic	TUV SUD With PTI and Glow Wire Test SSW-3168(TXH0005) SSW-3168-BK(TXH0012)	
	5*	JP-1676	DC Power Supply SAE0016 (SSW-2875JP)	≤125V >125V	100-200VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J60065(H26) J55013(H22)	2021/4/27	Panasonic	TUV SUD With PTI and Glow Wire Test	
	6*	JP-1905	DC Power Supply PGLV1017 (SSW-2951JP)	≤125V >125V	80-90VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	Others	Via Connector	Available	Attached Table 12 J60950-1(H27) J55022(H22) J30004(H26)	#####	Panasonic	TUV SUD	
	7*	PSB-JP-2018-0266	DC Power Supply KYCAV1 (SSW-3205JP)	≤125V >125V	10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	B	N/A	Synthetic Resin	For Battery Charging / Others	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29)	2023/6/20	Kyocera	TUV SUD With PTI and Glow Wire Test (LO1CM017/SSW-3295JP/CP23) SSW-3309 (DB17) SSW-3373 (DB16)	
	8*	PSB-JP-2018-0272	DC Power Supply SAA0002AA (SSW-2596JP) SAE0007 (SSW-2596JPJP-WH)	≤125V >125V	80-90VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	B	N/A	Synthetic Resin	For Battery Charging or Others	Via Connector	Available	Attached Table 12 J60065-1(H29) J55032(H29)	2023/6/24	Panasonic	TUV SUD With PTI and Glow Wire Test Models that share this certificate: TXH008A(SSW-2596JP-PC) PIX-PW011-PZZ(SSW-2596JP-PA) FAD-100TUN(SSW-2596JP-F) TXH007(SSW-3170) TXH006(SSW-3169) TXH0011(SSW-3170LWE)	
	9*	PSB-JP-2018-0273	DC Power Supply RFEA232J (SSW-1587JP)	≤125V >125V	40-50VA 50-60VA 60-70VA 70-80VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60065(H29) J55032(H29)	2023/6/25	Panasonic	TUV SUD With PTI and Glow Wire Test	
	10*	PSB-JP-2018-0302	DC Power Supply 205720-04 (SSW-2593JP)	≤125V >125V	50-60VA 60-70VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-1(H27) J60335-2-20(H27)	2023/7/1	dyson	TUV SUD With PTI and Glow Wire Test	
	11*	PSB-JP-2018-0524	DC Power Supply PNLV2505JP (SSW-2873-CFBD)	≤125V >125V	20-30VA 30-40VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60950-1(H29) J55032(H29)	Need Check	Panasonic	TUV SUD With PTI and Glow Wire Test	Jessica,2018-11-29
	12*	PSB-JP-2019-0031	DC Power Supply AVV61V-RA (SSW-3180JP)	≤125V >125V	30-40VA 40-50VA 50-60VA 60-70VA 70-80VA	50/60Hz	N/A	15-30 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-1(H27) J60335-2-20(H27)	2024/1/21	Panasonic	TUV SUD With PTI and Glow Wire Test	Copy not taken
	13	JQE13276	DC Power Supply 102706-05 (SSW-2366JP)	≤125V >125V	100-200VA	50/60Hz	N/A	15-30 V	Available	E	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	Attached Table 12 J60335-1(H20) J60335-2-20(H20)	2021/5/19	dyson	Customers apply on JQA by themselves	
	14	PSB-JP-2019-0406	DC Power Supply AD05KC (SSW-2857JP)	≤125V >125V	100-200VA	50/60Hz	N/A	≤ 15 V	Available	A	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J62368-1(H30) J55032(H29)	2024/8/26	Kyocera		
	1	JD-50532204	DC Power Supply (SSW-3549)	≤125V >125V	10-20VA	50/60Hz	N/A	≤ 15 V	Available	B	N/A	Available	N/A	Synthetic Resin	For Battery Charging	Via Connector	Available	J62368-1(2020) J55032(H29)	2027/01/27	Sharp		